

| Ref # | Hits    | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|---------|---|---|------------------|---------|------------------|
| L7    | 5       | (torque adj strut).ti.  | US-PGPUB;<br>USPAT;<br>USOCR                          | OR               | OFF     | 2005/01/24 10:02 |
| S47   | 0       | vibration near2 (link or strut) and deform\$4 and manufactur\$6 | EPO; JPO;<br>DERWENT                                  | OR               | OFF     | 2004/12/20 14:07 |
| S48   | 9       | vibration near2 (link or strut) and deform\$4                   | EPO; JPO;<br>DERWENT                                  | OR               | OFF     | 2004/12/20 19:06 |
| S49   | 9       | torque near2 (link or strut) and deform\$4                      | EPO; JPO;<br>DERWENT                                  | OR               | OFF     | 2004/12/20 14:11 |
| S57   | 1517    | (torque adj (link or support or strut))                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:43 |
| S58   | 2397726 | engine or vehicle   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:15 |
| S59   | 538     | S57 and S58   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:15 |
| S60   | 656101  | deform\$4 or caulk\$4 or swag\$4                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:23 |
| S61   | 59      | S59 and S60   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:16 |
| S62   | 72804   | caulk\$4 or swag\$4   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:43 |
| S63   | 8       | S57 and S62   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:24 |
| S64   | 86      | S57 and cast  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2004/12/20 16:30 |

|          |      |   |   |    |     |                  |
|----------|------|---|---|----|-----|------------------|
| S71      | 9    | (torque adj (link or support or strut)) and manufactur\$4 | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 16:44 |
| S72      | 0    | (torque adj (link or support or strut)) and stak\$4       | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 16:45 |
| S73      | 9    | (torque adj (link or support or strut)) and stak\$4       | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/12/20 16:46 |
| S74      | 3081 | (elast\$6 and (link or support or strut)) and stak\$4     | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/12/20 19:10 |
| S75      | 43   | (elast\$6 and (link or support or strut)) and stak\$4     | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 16:48 |
| S84      | 3194 | f16f001/38.ipc.   | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 17:08 |
| S86      | 210  | deform\$4 and S84   | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 17:08 |
| S87      | 10   | punch\$4 and S84  | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 17:10 |
| S88      | 26   | cast\$4 and S84   | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 17:15 |
| S89      | 505  | assembl\$4 and S84  | EPO; JPO; DERWENT                         | OR | OFF | 2004/12/20 17:16 |
| S10<br>7 | 165  | bushing same bracket same staked                          | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/12/20 18:16 |
| S10<br>8 | 42   | S107 and mount  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/12/20 18:15 |
| S10<br>9 | 15   | bushing same bracket same staked                          | US-PGPUB; USPAT; EPO; JPO; DERWENT        | OR | OFF | 2004/12/20 18:25 |
| S11<br>0 | 182  | staking same bushing\$2                                   | US-PGPUB; USPAT; EPO; JPO; DERWENT        | OR | OFF | 2004/12/20 18:24 |
| S11<br>4 | 31   | staking adj groov\$2                                      | US-PGPUB; USPAT; EPO; JPO; DERWENT        | OR | OFF | 2004/12/20 18:58 |

|          |       |                                      |   |    |     |                  |
|----------|-------|--------------------------------------|---|----|-----|------------------|
| S11<br>5 | 3     | grumman adj groov\$2                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | OFF | 2004/12/20 18:32 |
| S11<br>6 | 14165 | v-groov\$2                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | OFF | 2004/12/20 18:32 |
| S11<br>7 | 2564  | v-groov\$2 and (bearing or bushing)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | OFF | 2004/12/20 18:32 |
| S11<br>8 | 690   | v-groov\$2 same (bearing or bushing) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | OFF | 2004/12/20 18:33 |
| S11<br>9 | 139   | v-groov\$2 same (bearing or bushing) | EPO; JPO;<br>DERWENT                        | OR | OFF | 2004/12/20 18:33 |
| S12<br>4 | 19    | stak\$2 adj2 groov\$2                | USOCR;<br>EPO; JPO;<br>DERWENT              | OR | OFF | 2004/12/20 18:49 |
| S12<br>6 | 62    | stak\$3 adj groov\$2                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | OFF | 2004/12/20 18:58 |